

**In the Claims:**

Please cancel claims 6, 9, 26, and 31. Please amend claims 1, 4, 7-8, 20, 22-24, 27, 29, and 32. The claims are as follows:

1. (Currently amended) A method for providing information via a public network to a user, the method comprising the steps of:

identifying the user;

acquiring data from each site searched or visited by the user during each session of a plurality of sessions via the public network, said acquired data comprising content of each site searched or visited during each said session:

for each said site searched or visited for each said session:

parsing the acquired data to identify session attributes for each site searched or visited and associating a session weight with each said session attribute of each site searched or visited, wherein the session attributes for each site searched or visited are derived from keywords consisting of section headings and bolded words in the acquired data of each site searched or visited, and wherein each session weight of each site searched or visited is derived from the time spent by the user in each site searched or visited or from a frequency of visits by the user to each site searched or visited;

specifying user profile attributes for the user;

providing a mapping that associates each session attribute with a corresponding user profile attribute;

for each user profile attribute;

determining a user profile weight derived from session weights associated with session attributes corresponding to the user profile attribute in accordance with said mapping;

generating a user profile pertaining to the user, said user profile including one or more attribute records, each attribute record of said one or more attribute records comprising attributes such that each attribute contained within the one or more attribute records has an associated weight, said one or more attribute records further comprising said associated weights, said attributes and associated weights being derived from said acquired data; a user profile attribute of said user profile attributes, the user profile weight associated with the user profile attribute, and the session weights associated with the user profile attribute; and

providing information obtained via the network to said user based on ~~[[a]]~~ said user profile.

2. (Previously presented) The method of claim 1, wherein said step of identifying said user includes one or more of the steps of:

- acquiring fingerprints of the user;
- acquiring a retinal pattern of the user; and
- acquiring a voice pattern of the user.

3. (Previously presented) The method of claim 1, wherein said providing information step comprises directing advertising to the user based on the user profile.

4. (Currently amended) The method of claim 1, further comprising recording section headings

~~and said keywords of said sites searched or visited by the user.~~

5. (Previously presented) The method of claim 4, wherein said recording said keywords comprises storing said keywords in a cache.

6. (Canceled)

7. (Currently amended) The method of claim 1, wherein said user profile attributes are selected from the group consisting of economic stratum, age group, sex, educational background, occupation, religious background, personal technical interests, and combinations thereof.

8. (Currently amended) The method of claim 1, wherein said user profile attributes comprise personal special interests.

9. (Canceled)

10. (Previously presented) The method of claim 1, wherein said user profile is continuously updated with usage of the public network by the user.

11. (Previously presented) The method of claim 1, wherein said step of identifying said user includes identifying a demographic grouping to which said user belongs, wherein said identifying said demographic grouping includes capturing a video image of a portion of the body of said

09/782,933

4

user, and wherein said portion of the body of said user includes the head of the user.

12-19. (Canceled)

20. (Currently amended) A server system for providing information via a public network to a user, comprising:

means for identifying the user;

means for acquiring data from each site searched or visited by the user during each session of a plurality of sessions via the public network, said acquired data comprising content of each site searched or visited during each said session;

for each said site searched or visited for each said session:

means for parsing the acquired data to identify session attributes for each site searched or visited and associating a session weight with each said session attribute of each site searched or visited, wherein the session attributes for each site searched or visited are derived from keywords consisting of section headings and bolded words in the acquired data of each site searched or visited, and wherein each session weight of each site searched or visited is derived from the time spent by the user in each site searched or visited or from a frequency of visits by the user to each site searched or visited;

means for specifying user profile attributes for the user;

means for providing a mapping that associates each session attribute with a corresponding user profile attribute;

09/782,933

5

for each user profile attribute;

means for determining a user profile weight derived from session weights  
associated with session attributes corresponding to the user profile attribute in  
accordance with said mapping;

means for generating a user profile pertaining to the user, said user profile including one or more attribute records, each attribute record of said one or more attribute records comprising attributes such that each attribute contained within the one or more attribute records has an associated weight, said one or more attribute records further comprising said associated weights, said attributes and associated weights being derived from said acquired data: a user profile attribute of said user profile attributes, the user profile weight associated with the user profile attribute, and the session weights associated with the user profile attribute; and

means for providing information obtained via the network to said user based on [[a]] said user profile.

21. (Canceled)

22. (Currently amended) The server system of claim 20, wherein said means for identifying means includes means for identifying a demographic grouping to which said user belongs, wherein said means for identifying said demographic grouping includes means for capturing a video image of a portion of the body of said user, and wherein said portion of the body of said user includes the head of the user.

09/782,933

6

23. (Currently amended) A computer program product comprising a computer usable medium having a computer readable program code embodied therein, said computer readable program code comprising an algorithm adapted to implement a method for providing information via a public network to a user, said method comprising the steps of:

identifying the user;

acquiring data from each site searched or visited by the user during each session of a plurality of sessions via the public network, said acquired data comprising content of each site searched or visited during each said session;

for each said site searched or visited for each said session:

parsing the acquired data to identify session attributes for each site searched or visited and associating a session weight with each said session attribute of each site searched or visited, wherein the session attributes for each site searched or visited are derived from keywords consisting of section headings and bolded words in the acquired data of each site searched or visited, and wherein each session weight of each site searched or visited is derived from the time spent by the user in each site searched or visited or from a frequency of visits by the user to each site searched or visited;

specifying user profile attributes for the user;

providing a mapping that associates each session attribute with a corresponding user profile attribute;

for each user profile attribute:

determining a user profile weight derived from session weights associated with

session attributes corresponding to the user profile attribute in accordance with said mapping;

generating a user profile pertaining to the user, said user profile including one or more attribute records, each attribute record of said one or more attribute records comprising attributes such that each attribute contained within the one or more attribute records has an associated weight, ~~said one or more attribute records further comprising said associated weights, said attributes and associated weights being derived from said acquired data;~~ a user profile attribute of said user profile attributes, the user profile weight associated with the user profile attribute, and the session weights associated with the user profile attribute; and

providing information obtained via the network to said user based on ~~[[a]]~~ said user profile.

24. (Currently amended) The computer program product of claim 23, said method further comprising recording ~~section headings and~~ said keywords of said sites searched or visited by the user.

25. (Previously presented) The computer program product of claim 24, wherein said recording said keywords comprises storing said keywords in a cache.

26. (Canceled)

27. (Currently amended) The computer program product of claim 23, wherein said user profile attributes are selected from the group consisting of economic stratum, age group, sex, educational background, occupation, religious background, personal technical interests, and combinations

thereof.

28. (Previously presented) The computer program product of claim 23, wherein said step of identifying said user includes identifying a demographic grouping to which said user belongs, wherein said identifying said demographic grouping includes capturing a video image of a portion of the body of said user, and wherein said portion of the body of said user includes the head of the user.

29. (Currently amended) The server system of claim 20, further comprising means for recording ~~section headings and~~ said keywords ~~of said sites searched or visited by the user.~~

30. (Previously presented) The server system of claim 29, wherein said means for recording said keywords comprises means for storing said keywords in a cache.

31. (Canceled)

32. (Currently amended) The server system of claim 20, wherein said user profile attributes are selected from the group consisting of economic stratum, age group, sex, educational background, occupation, religious background, personal technical interests, and combinations thereof.